| I'm not robot |
|---------------|
| I'm not robot |

Continue

```
Travel trailer weights relative to RVs or motorhomes are often the reason people go for them. Not only do they tend to be lighter, but they're often (believe it or not) more versatile. After all, you can simply detach a travel trailer from your car if you want to go for a drive without it. Travel trailer floor plans and purposes also vary, so you can find one
that perfectly suits your needs. Settling on a travel trailer over an RV is just the first step; next you need to choose from an ever-increasing range. Here are some of the basic options. Standard Travel trailer is really anything but; sizes, layouts and prices range widely. But they do
have one thing in common: They make sleeping outdoors feel like home. Some models offer full kitchen and bathroom facilities, along with multiple sleeping areas. In other words, they offer almost the same functionality as a Class A/Class C motorhome or RV. For this reason, the standard travel trailer is a favorite among RV converts. The largest
models can sleep up to 10, so they're ideal for large groups—even when you're traveling in different cars. The lightest travel trailer models, by contrast, can be pulled by a family sedan. So all you have to do is hitch it up and drive away. Expect to pay upwards of $8,000 for new small travel trailers, and up to $95,000 for some of the high-end
models.Pop-up Tent TrailerThe idea behind the pop-up tent trailer is simple: Glamping. Ideal for those who love the allure and simplicity of a tent, but can't put up with the discomfort, this option represents the best of both worlds.When you want to "pitch" your tent, simply park up and extend the shelter from the sides of the trailer unit. Depending on
the model, there might be a kitchenette and separate sleeping areas built in. But whatever option you go for, the pop-up tent trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options. Used ultralight travel trailer is one of the most compact, lightweight options are under the most compa
TrailerThere's not a great deal to say about this option. Just imagine a cross between the standard travel trailer and the pop-up tent alternative. It's somewhere between the ightweight, compact utility of a pop-up, while on the other you have the amenities (kitchen, bathroom, etc.) of a
more conventional trailer unit. They range between 19 and 30 feet in length and might cost $10,000-30,000. Toy Hauler This one's slightly different in that it's not designed for living aboard. Instead, the toy hauler model of travel trailer is intended for the transportation of your "toys": Your motorcycle, your jetski, your ATV or whatever you else you
want to bring along. Also known as a sports utility recreation vehicle, it's usually fitted with a rear door that opens out as a landing ramp. Since they're not intended for living aboard, they may be best suited to traveling in a convoy, with one vehicle trailing the toy hauler and another trailing a large standard trailer. Truck CamperTruck campers are all
about freedom. But you'll need a flatbed truck. Rather than hitching a trailer to the rear of your vehicle—a hazard when it comes to winding roads—this model fits neatly into your flatbed. Of course, they're not the best option if it's interior space you're after. But there's an undeniable elegance to the design. And, since your trailer hitch is left free, you
can also tow a boat, toy hauler or suchlike. Expect to pay $6,000-$55,000. Fifth Wheel trailers are designed for pickups with a fifth-wheel hitch. they're popular among RV fans who want the versatility of driving around separately. Models can
measure up to 45 feet in length, and they often feature full kitchens and bathrooms. Some might even offer laundry facilities. For that reason, they're ideal for extended vacations and full-time travelers. They're not cheap, though; the top-end models may cost as much as $160,000 or more. MORE FROM QUESTIONSANSWERED.NET 03-27-2014.
04:41 PM #1 Junior Member Brand: Thor Words from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals Where can I find brochures are missing for Four Winds from 2001-2006 and owners manuals where the find the f
                                                             04-07-2014, 08:01 PM #2 Junior Member Brand: Thor Motor Coach Model: Four Winds 5000 28A State: Colorado Posts: 3 THOR #739 Nobody can help? This is pretty disappointing...
                                                                                                                                                                                                                                                                                                                              04-07-2014, 11:06 PM #3 Moderator Emeritus Brand: Crossroads Model: Zinger ZT26BL
                                                                                                                                                                2014 Chevy Silverado 3500 Duramax SRW 2014 Palomino Sabre 34REQS 2011 Crossroads Zinger 26BL --sold 04-08-2014, 02:17 AM #4 Site Team Brand: Crossroads Model: CF32BL State: Mississippi Posts: 1,027
State: North Carolina Posts: 445 THOR #91 I moved this to its own thread for you to see if you get more help.
THOR #121 Most of the equipment if not all is generic to the Industry. If you should have a question about any equipment google the manufacture and down load the manuel from there. The other source of answer is the forums.manufacturing manuel lack a lot
                                                                                                                                                                                                                                                                                                                                                            Frank and Janet Henn 2008 CrossRoads CF32Bl pushing a 2007 Dodge
2500 Traveling with Hoover, Rainbow and Sunshine The wonder Schnauzers 04-08-2014, 01:13 PM #5 Junior Member Brand: Thor Motor Coach Model: Four Winds 5000 28A State: Colorado Posts: 3 THOR #739 Thank you for the reply. I've found the manuals for a lot of the individual pieces of equipment I have in stalled like the a/c and furnace.
I know there isn't a lot of information in the owner's manual and brochures but I would like to know about some of the options available on my MH to see if there's something I might want to swap out. I know there's also a few random things that usually get into those that aren't documented anywhere else. I was hoping eventually to be able to find
some kind of wiring diagrams to refer to at some point as well, but I know those won't be in the OM or brochures.
                                                                                                                                                                       04-08-2014, 03:56 PM #6 Member Brand: Thor Motor Coach State: North Carolina Posts: 55 THOR #607 Call 1-800-860-5658 and ask CS if they can assist you.
                                                                                                                                                                                                                                                                                                                                                                                                            rvbunz Capt USMC (Ret) 2013
Challenger 37DT tmcoc.org 12-11-2015, 03:59 AM #7 Junior Member Brand: Still Looking State: Hawaii Posts: 6 THOR #3304
                                                                                                                                                                                            12-28-2015, 05:37 PM #8 Member Brand: Thor Motor Coach Model: Chateau 31L State: California Posts: 52 THOR #2917 Thanks for the phone number. They were more than helpful and are
                                                                     Dave and Chris US Navy (Ret), KH2BD TABLE OF CONTENTS FOUR WINDS LIMITED WARRANTY.
emailing the missing manuals to me.
                                                                                                                                                                                                                   ... 4 ACKNOWLEDGEMENT OF RECEIPT OF WARRANTY .......... 7 GENERAL INFORMATION ..
                                                                                                                                                                                                                                                                                                                                                                                                      ..11 SYMBOLS.
                                                                                                                                                                                                                                                                                                                                                           ..10 DISCLAIMER
                                                              12 VENDOR CONTACT INFORMATION ...
                                                                                                                                                                                                                                                                                                                                                                                           .16 LAWS OF THE ROAD . Page 3 ENTRY DOOR
MANUFACTURER'S WARRANTIES
                                                                                                                              ....12 MOTOR HOME LOAD LIMITS
                                                                                                                                                                                           ..13 VEHICLE WEIGHING PROCEDURES
                                                                                                                                                                                                                                                             ...14 IDENTIFICATION AND SAFETY.
                                                                                                                                                                                                                                                                                                                             16 REPORTING SAFETY DEFECTS.
                                                                                                                           .56 REAR LADDER/ROOF ACCESS
                                                                                                                                                                                                                                  56 GARAGE AREA (AVAILABLE ON SELECT MODELS)
                                                                                                                                                                                                                                                                                                                      58 HEATING AND AIR CONDITIONING
                                                                                                                                                                                                                                                                                                                                                                                        .59 DASH PANEL HEATER AND AIR
                                 .59 ROOF MOUNTED AIR CONDITIONER
                                                                                                                                             . 61 THERMOSTATS
                                                                                                                                                                                             . 61 CEILING VENTS
                                                                                                                                                                                                                                             . 61 ELECTRICAL SYSTEMS...
                                                                                                                                                                                                                                                                                                   . 63 SHORE CORD
                                                                                                                                                                                                                                                                                                                                                  Page 4 CARE AND MAINTENANCE
                                                                                                                                                                                                                                                                                                                                                                                                               ..88 FIBERGLASS SIDING
                                                                                  ...89 SEALS AND ADHESIVES .
                                                                                                                                                                                                                       .90 ROOF
                                                                                                                                                                                                                                                           .90 EXTRUSIONS AND ALUMINUM SURFACES .....
                                                                                                                                                                                                                                                                                                                                     ..90 WINDOWS AND DOORS ....
                                                                                                                                                                                                                                                                                                                                                                                          ...91 PROPANE GAS SYSTEM .....
                                              ..91 TV ANTENNA .
                                                                                           ..92 EXTERIOR LIGHTS ..
                                                                                                                                            ..92 SINKS AND COUNTERTOPS ...
                                                                                                                                                                                                                                                    20 or more days to complete, you must, to the extent permitted by law, notify Warrantor directly in writing of the failure to successfully repair the defect(s)
so that Warrantor can become directly involved in exercising a final repair attempt for the purpose of performing a successful repair to the identified defect(s). Minor adjustments, such as adjustments to the interior or exterior doors, drawers, latches by way of example and not by limitation will be performed by your selling dealer during the first
ninety (90) days of warranty coverage. Thereafter, such adjustments are the owner's exclusive responsibility as normal maintenance. FOUR WINDS INTERNATIONAL... Page 6 Arbitration Office toll free (800) 279-5343. For motor homes purchased in California, the CAP-RV Program operates under the review of the California
Arbitration Program. You must utilize this program before claiming rights conferred by 15 USC Section 2310 (Magnuson Moss Warranty Act) or Civil Code Section 1793.22(b) (Song Beverly Warranty Act). You are not required to use this Program if you choose to seek redress by pursing rights and remedies not conferred by these laws. THIS
WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE. Julian Date: 042810 FOUR WINDS INTERNATIONAL... Section 1793.22(b) (Song Beverly Warranty Act). You are not required to use this Program if you choose to seek redress by pursing rights and remedies not
conferred by these laws. Julian Date: 042810 THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE. FOUR WINDS INTERNATIONAL...
                                                                                                                                                                                                           seller Dealer Date Dealer is to ensure this form is properly completed and returned to Thor Motorized Services within fifteen (15) days after delivery. Return this page to: Thor Motorized
Person last naMe sales Person First naMe
Services, 701 C.R. 15, Elkhart, Indiana 46517 • E-mail: Registrations@ThorMotorizedServices.com • Fax: 574-294-3618 FOUR WINDS INTERNATIONAL... Page 9 Registration And Acknowledgement of Receipt of Warranty and Product Information THIS PAGE IS INTENTIONALLY LEFT BLANK FOUR WINDS INTERNATIONAL... Page 10 For Owner's
Notes FOUR WINDS INTERNATIONAL... If you have any questions regarding operation, maintenance, or Services direct at (877)TLK-2-TMS or WarrantySupport@ThorMotorizedServices.com. THOR Motorized Exceeding Expectations Building Relationships Fostering Loyalty FOUR WINDS
INTERNATIONAL... Owner's Manual. SYMBOLS The following safety alert symbols are used throughout this manual to call attention which, if not avoided, will result in death or serious injury. WARNING indicates a hazardous
situation which, if not avoided, could result in death or serious injury. CAUTION CAUTION indicates a hazardous situation which, if not avoided, may result in minor or moderate injury. NOTICE indicates a hazardous situation which, if not avoided, may result in minor or moderate injury. NOTICE indicates a hazardous situation which, if not avoided, may result in minor or moderate injury.
with a gasoline engine. DIESEL ONLY indicates instructions that are specific to coaches with a diesel engine. FOUR WINDS INTERNATIONAL... Evans Tempcon HWH Corporation 800-888-6626 800-288-8094 800-878-7147 800-494-3213 www.onan.com www.winegard.com www.winegard.com www.winegard.com www.winegard.com www.hwhcorp.com Scope Technologies Workhorse
Equalizer Systems Intellitec 574-295-0229 574-264-3437 800-877-294-6773 800-877-294-6773 800-251-2408 www.workhorse.com www.scopetechnologies.com ww
www.kibenterprises.com FOUR WINDS INTERNATIONAL... 970 kg or 2140 lbs Safety belt equipped seating capacity: 7 CAUTION: A full load of water equals 173 kg or 382 lbs of cargo @ 1kb/L (8.3 lb/gal) and the tongue weight of a towed trailer counts as cargo FOUR WINDS INTERNATIONAL... Even though the weight of the total axle may be
within the axle's rating, it may Note: be overloaded on one side of the motor home on the scale. To determine individual wheel position weights, it is necessary to
repeat the previous three steps (1a, 1b, and 1c), but this time, use only one side of the vehicle wheel position weights from the weights recorded in steps 1a, 1b, and 1c. FOUR WINDS INTERNATIONAL... The following is an explanation of commonly used weight abbreviations.
Gross Vehicle Weight Rating (GVWR) is the maximum permissible weight of this motor home as manufactured at the factory with full fuel, engine oil, and coolants. • Occupant and Cargo Carrying Capacity (OCCC) is equal to the GVWR minus UVW and LP. In other words, OCCC is
how much weight in occupants, cargo, water and trailer tongue weight Rating (GCWR) means the maximum allowable loaded weight Rating (GCWR) is the value specified
as the load carrying capacity of a single axle system, as measured at the tire-ground interfaces. FOUR WINDS INTERNATIONAL... The state of California currently requires operators of motor homes over 40 feet in length to obtain a non- commercial class B license. California has also enacted legislation limiting use of motor homes in excess of 40
feet, to approved roadways. You may contact Caltrans at www.dot.ca.gov or 916-654-5741 for current information regarding these California statues. FOUR WINDS INTERNATIONAL... 80% of its volume as liquid Propane. An 80% automatic shut-off valve is installed on the Propane gas tank which will automatically prevent further filling when the gas
volume has reached 80% of tank capacity. FOUR WINDS INTERNATIONAL... DO NOT store Propane containers inside the motor home. Propane containers are equipped with safety devices which relieve excessive pressure by discharging gas to the atmosphere. Failure to comply could result in explosion resulting in death or serious injury. FOUR
WINDS INTERNATIONAL... IDENTIFICATION AND SAFETY FIRE EXTINGUISHER Underwriter Laboratories classify fires into three types: Class A: Fires in wood, paper, fabric, rubber, and certain plastics Class B: Flammable liquids such as grease, cooking oils, gasoline, or kerosene Class C: Electrical fires started from live electrical wires, from
short circuits motors or switches The fire extinguisher, which is located by the entry door of the motor home, is a chemical type suitable for extinguishers are designed to put out fires in the initial... Weakness, Sleepiness, Muscular Twitching, and Throbbing in Temples. If anyone in the motor home
experiences any of these symptoms, shut off the engine, and immediately go outside into fresh air. Get medical attention as soon as possible. FOUR WINDS INTERNATIONAL... The test feature checks the full operation of the detector. If this detector does not test properly return it immediately for repair or replacement. TEST: This test procedure
should be repeated every week or every time the motor home is taken on a trip. Note: Refer to the detector manufacturer if you have any questions about the Propane Gas Detector. FOUR WINDS INTERNATIONAL... Butane, like sound. Propane, is heavier than air and will settle to the floor If the problem still exists: Contact MTI Industries for level
where it will be detected. assistance. Note: The Propane Gas Detector may produce several short "chirps" within the first 80 seconds of operation. This is a normal function of the LP Gas Detector may produce several short "chirps" within the first 80 seconds of operation. This is a normal function of the LP Gas Detector may produce several short "chirps" within the first 80 seconds of operation. This is a normal function of the LP Gas Detector may produce several short "chirps" within the first 80 seconds of operation.
International Dealer or a qualified Propane Service Center should service be required. If they are not familiar with this product, have them call the detector manufacturer for assistance. If service is not available in your area, call MTI Industries. FOUR WINDS INTERNATIONAL... Do not use a seat belt on more than one person. Pilot and co-pilot seats
must be locked in a forward facing position with seat belts fastened while the motor home is in motion. Avoid seat rotation while in transit. FOUR WINDS INTERNATIONAL... Check your local and state or provincial laws for specific requirements regarding the Note: safety of children in your vehicle. Note: Always follow the instructions and warnings
that come with any infant or child restraint or child restraint you might use. If the shoulder belt can be positioned so it does
not cross or rest in front of the child's face or neck, the child should wear the lap and shoulder belt. Never use pillows, books, or other objects to boost a child. FOUR WINDS INTERNATIONAL... Never attach chains to the bumper of a vehicle. Tow bars or car dollies generally are made to travel in a forward direction only. Most towing equipment of
this type is not designed for backing. Never attempt short back up distances with a tow bar or tow dolly. Damage to the motor home, towed vehicle or towing device will result. Note: Four Winds International accepts no responsibility for damage to the chassis and other components resulting from towing loads greater than its designated class
specifications. Also consider the gross combined weight rating of the motor home before towing a trailer or a vehicle behind the motor home results in added driving considerations that you must contend with. FOUR WINDS INTERNATIONAL... Parking Brake. 3. Turn on the hazard warning
flashers. 4. Use three red warning indicators such as flares, reflectors, or lanterns as required by the Uniform Vehicle Code and Model Traffic Side of the vehicle, directed at the nearest approaching traffic. b. Place the second 100 feet behind the motor home in the center of the lane and
toward approaching traffic. c. Place the third 100 feet in front of the motor home in the center of the lane and away from the traffic approaching from behind. 5. Always stand off the road. Note: Curves and/or hills may effect the safe placement of warning indicators. ENGINE AND DRIVE TRAIN Full operating and service information may be obtained
by consulting the engine and drive train operating and service manuals provided by the chassis manufacturer. For maximum engine efficiency and long service life, always follow recommendations, as outlined by the chassis manufacturer. For maximum engine efficiency and long service life, always follow recommendations, as outlined by the chassis manufacturer.
the chassis should be inspected regularly per the schedules set by the chassis manufacturer. FOUR WINDS INTERNATIONAL... If you should lose your fuel cap, it should be replaced as soon as possible, with a cap of the same type. Note: Always remove the fuel cap slowly and pay close attention to the fuel recommendations outlined in the chassis
tripped, it is necessary to manually reset it before the motor home can be restarted and moved. Review your chassis owner's manual for the location of the switch and instructions for resetting. FOUR WINDS INTERNATIONAL... Tank condition (gas, fresh water, waste water) Operational Checks • Check operation of all systems, including: Wipers,
to the Chassis Manufacturer's Owner's Manual for more information. FOUR WINDS INTERNATIONAL... • Check operation of stove and refrigerator. • Check that you have proper paperwork such as owners registration card, vehicle registration of stove and refrigerator.
prime the generator prior to starting. PRIME STOP Note: Refer to the generator operations manual for detailed information regarding the proper usage, and service procedure for the generator. FOUR WINDS INTERNATIONAL... Use the up or down arrow buttons on the shift selector to reach the desired gear. Use Neutral (N) and apply the parking
brake when the vehicle is parked with the engine running. Note: See the Allison Transmission Owner's Manual for more information on 3000 and 4000 MH transmission operation. Note: In the lower gear ranges, the transmission will not upshift above the highest gear selected unless the engine governed speed is exceeded. FOUR WINDS
braking aid. Refer to the Chassis Owner's Manual for detailed ENGINE BRAKE information, HIGH Air Horn Activates air horn will sound. When switch is in the on position, both the chassis and air horn will sound. Sur
Visor Raises or lowers the driver side visor. The visor is equipped with a dual range motor for driving VISOR safety. When the ignition switch is on, the visor will only travel a predetermined distance which does not impede the driver's field of vision. When the ignition switch is in the OFF position, the visor will fully extend. DOWN FOUR WINDS
INTERNATIONAL... Activates the motor home engine block heater (for use in cold weather). The block heater operates on 120 Volt AC provided by the generator or shore power. DOCK LIGHTS Docking Lights Switches side docking lights on or off which are located on the rear wheel wells. FOUR WINDS INTERNATIONAL... Panel Light Dimmer
Control Wheel To increase or decrease the level of light intensity for the dash panel, rotate the controls the exterior light on the door side of the motor home. PORCH LIGHT Step Light Controls the entry step courtesy lighting. STEP LIGHT Step Cover
Extends and retracts the entry step well cover. STEP COVER FOUR WINDS INTERNATIONAL... (off) as the turn is completed. To change the head lamps from low to high beams, pull the same lever used for turn signal operation up toward the driver and release the lever. This is a self-returning action. Repeating this toggle action will return to the
low beams. To engage the hazard lights, pull the red hazard switch out away from the steering column. This will activate the hazard light flash sequence. To disengage the sequence raise or lower the turn signal lever to a latching position, then manually return the lever back to center (as if signaling a lane change). FOUR WINDS INTERNATIONAL
Resume button will command the car to accelerate back to the most previous speed setting. CRUISE CANCEL - Operation of this switch will allow you to slow down by turning off the Cruise Control with the cancel button. WIPER FUNCTIONS: WIPER WASH - Operation of this switch activates the wash pump. WIPER LO/HI - Operation of this switch
causes the wiper to operate at either low or high speed. WIPER VARIABLE - In light rain or mist conditions, wiper to operate at either low or high speed. WIPER VARIABLE - In light rain or mist conditions, wiper to operate at either low or high speed.
Operation of this switch causes all operation of the wipers to be canceled. HEAD LAMPS ON WITH WIPERS - Activation of any wiper function generates a "Head lamps On" function in the Master that will only be reset by turning off the ignition or by activating then deactivating the dashboard head lamp switch. FOUR WINDS INTERNATIONAL
Listed below are a few of the basic commands used. Please consult your Rear Vision system manual for detailed operating instructions POWER ON/OFF: Press once turns unit ON. Press again for OFF. SELECT: Pressing button sequences source input modes from CH1 TO CH3. DAY/NIGHT: Pressing button sequenced day/night back light. MENU
Pressing button gives access to an on screen display menu and the setup menu. VOLUME: Press the MODE button (4) on the control panel to
select a different mode of operation, as indicated on the display panel. Available modes include TUNER, CD, SIRIUS, IPOD, CDC and AUX IN (optional Auxiliary Input). FOUR WINDS INTERNATIONAL... Page 41 Use the volume control to adjust the Balance between the left and right speakers from 12L (full left) to 12F (full front). FADER: Use the
volume control to adjust the Fader between the rear and front speakers from 12L (full left) to 12F (full front). VOLUME LEVEL: Use the volume control to adjust the volume in preset channel select mode or track select mode, select item you want. 8. [SELECT
Upper/Lower] Button - Selects the folder in CD {MP3/WMA} mode. 9. [OPEN/EJECT] Button - Brief pressing of the button. 10. [FUNC] Button - Brief pressing switches items in the FUNCTION mode at each pressing of the button. 11. [TEXT]
Button - Brief pressing switches title display of Audio display of Audio functions. Longer pressing turns the PND display between navigation functions and audio functions. Longer pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 13. [RELEASE] Button - Brief pressing switches title display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 14. [RESET] Button - Brief pressing turns the PND display off. 1
3. Press and hold any button on the transmitter until the onboard LED turns on for 2 seconds and the beeper responds with a confirming chirp, indicating the signal has been stored into memory 4. If you have additional transmitters (up to 4) that need to be programmed, repeat step 3 for each transmitter. EXIT: Turn the ignition switch to the OFF
position or leave it for 15 seconds. The onboard LED turns off and the beeper will emit 3 long chirps to confirm exit. Programming The Keypad Button for three seconds. Beep from the keypad = Keypad chirp ON Beeps from the keypad = Keypad chirp OFF
FOUR WINDS INTERNATIONAL... Using a board which measures approximately 2' wide by 2' in length is recommended. Ensure the front tires are pointing forward and not to the left or right. Note: Refer to manufacturer's operations manual before operating. The automatic hydraulic power leveling system allows quick and easy leveling of the motor
home from the driver's seat by utilizing the system touch panel. The following instructions are general operating instructions. FOUR WINDS INTERNATIONAL... LED'S have gone out. Depending on the vehicle, full retraction may take up to 90 seconds. Note: The null, or level position has been preset at the factory. However, if you want to change the
setting, or if the motor home has been dormant for more than 60 days you may need to reset the null. Refer to the automatic hydraulic levelers owner's manual for detailed information regarding the proper procedures to do this. TURN ON POWER PRESS AUTO-LEVEL TOUCH PAD RETRACTING THE JACKS FOUR WINDS INTERNATIONAL..
Reinstall black plastic cap on motor. Hydraulic Pump Function Wiring LOCATION EXTEND T RETRACT B Jack #1 left front ..... White / Black Jack #2 right front ..... White / Black Jack #2 right front ..... White / Black Jack #3 left rear ..... Vellow / Black Jack #3 left rear ..... Vellow / Black Jack #3 left front ..... White / Black Jack #3 left rear ..... Vellow / Black Jack #4 right front .... Vellow / Black Jack #3 left rear ..... Vellow / Black Jack #4 right front .... Vellow / Black Jack #3 left rear ..... Vellow / Black Jack #4 right rear ..... Vellow / Black Jack #3 left rear ..... Vellow / Black Jack #4 right front .... Vellow / Black Jack #4 right rear ..... Vellow / Black Jack #3 left rear ..... Vellow / Black Jack #4 right rear .... Vellow / Black #4 right rear .... Ve
activate the coach battery disconnect switch. Unlock the Slide out locks by pressing and holding the LOCK SWITCH in the "UNLOCK" position, if equipped. Rooms with travel locks require both locks to be fully retracted (unlocked) before Note: power to the Slide out switch is restored. 5. To extend the Slide out press and hold the ROOM CONTROI
SWITCH in the "EXTEND" position. When the slide out is fully extended, release the ROOM CONTROL SWITCH. FOUR WINDS INTERNATIONAL... Page 48 CONTROLS AND OPERATIONS To Retract Slide out is fully extended, release the ROOM CONTROL SWITCH. FOUR WINDS INTERNATIONAL... Page 48 CONTROLS AND OPERATIONS To Retract the Slide out is fully extended, release the ROOM CONTROL SWITCH. FOUR WINDS INTERNATIONAL...
hold the ROOM CONTROL SWITCH in the "RETRACT" position. When the Slide out is fully retracted, release the ROOM CONTROL SWITCH. Note: When retracting Slide out is fully retracted, release the ROOM continue to press the switch until the room retracts. Lock the Slide out locks
by pressing and holding the LOCK SWITCH in the "LOCK" position, if equipped. FOUR WINDS INTERNATIONAL... Page 49 CAUTION The motor home. BEFORE EXTENDING OR RETRACTING SLIDE OUT ROOM: Be sure that the
NOTICE driver's seat is in the forward position and the seat-back is straight up. Slide out room will contact chair if chair is improperly positioned. FOUR WINDS INTERNATIONAL... Page 50 Make sure to clear any obstruction in the slide-out area, and set the parking brake. 2. To retract the room, press and hold the ROOM CONTROL SWITCH in the
"IN" position. When the room is fully retracted, release the ROOM CONTROL SWITCH. Install the room will not retract, refer to the "Manual Retract Procedure". Electric Slide Out - Manual Room Retraction Procedure Note: Please consult Thor Motorized Services for information regarding this procedure.
FOUR WINDS INTERNATIONAL... Changes in the amount of weight on the bed, in your normal sleep position, when checking Note: or making changes to your Sleep Number®. Note: The coach must be plugged into the Shore Power or
Inverter Power supplied if equipped, for the sleep number bed to function. FOUR WINDS INTERNATIONAL... Generally, it is not suitable for children under the age of 6 to sleep in an elevated bed or bed loft area. • No more than one person should be in an elevated bunk bed at once and make sure you follow the weight restrictions posted on the
warning label near the bunk beds. No more than two people should be in a front cab over bed (only available on Class C motor homes). FOUR WINDS INTERNATIONAL... Lift the seat base up until the seat base. • Position the seat base. • Position the seat base up until the seat base up until the seat base. • Position the seat base up until the seat base. • Position the seat base up until the seat base up until the seat base up until the seat base. • Position the seat base up until the seat base. • Position the seat base up until the seat base up until
INTERNATIONAL... The forward and back sliding action is controlled by a lever on the lower left side of the seat to the desired position. Make sure the seat locks into the position you have selected. Arm Rests Arm rests can be rotated up and out of the way when not required.
FOUR WINDS INTERNATIONAL... Turn the vehicle ignition OFF and open the door. The step will extend and lock in the 'down' position. Note: If the override switch is OFF and the
drive during periods of high winds. Slide Out Awning The Slide out room opens and closes as the slide out room opens and closes. Because the awning is level, water may puddle on top of the canopy. As the slide out room opens and closes as the slide out room opens and closes. Because the awning is level, water may puddle on top of the canopy. As the slide out room opens and closes.
information regarding the Slide out Topper Awning refer to the A & E Systems, Slide Topper Installation And Operating Instructions Manual. FOUR WINDS INTERNATIONAL... • Press and hold the remote switch in the retract position. When awning is fully closed release the switch. Note: Do not press more than one "RETRACT" button at the same
performed. FOUR WINDS INTERNATIONAL... Keep the loading area clean and free of clutter and debris. Keep the ramp allows easy loading of rolling cargo, bicycles, motorcycles, ATV's
and other small vehicles. When loading and unloading always walk items up and down the ramp. Note: Refer to the fold-down ramp manufacturer's operations
the event control vacuum is lost, the system is designed to discharge through the defrost vents. To achieve the maximum comfort in the motor home, the air must be directed where it is needed. The mode switch (right of center) gives the driver the ability to select where the air must be directed where it is needed. The mode switch (right of center) gives the driver the ability to select where the air must be directed where it is needed. The mode switch (right of center) gives the driver the ability to select where it is needed.
and filter and wash in warm soapy water. Rinse the filter and cover thoroughly with fresh water and Allow to dry. Reinstall the filter and cover. FOUR WINDS INTERNATIONAL... ON and OFF. Make sure to turn the fan OFF before closing the vent. Also be sure to remove any debris that falls into the vent that may restrict operation. Note: For best
results, close all other roof vents and open one window, or door the greatest distance from the exhaust vent. Note: The dome must be open prior to operation manual for proper long term storage procedures. FOUR WINDS INTERNATIONAL... Page 63 Turn 3 speed knob to desired performance level (0 - Office and open one window).
1 - Low, 2 - Medium, 3 - High) • Slightly open window of your choosing for maximum air flow. Recommendations: You may use your Create A Breeze while driving or in windy conditions. In this case keep your choosing for maximum air flow. Recommendations: You may use your Create A Breeze while driving or in windy conditions. In this case keep your choosing for maximum air flow. Recommendations: You may use your Create A Breeze while driving or in windy conditions. In this case keep your choosing for maximum air flow. Recommendations: You may use your Create A Breeze while driving or in windy conditions. In this case keep your choosing for maximum air flow. Recommendations: You may use your Create A Breeze while driving or in windy conditions. In this case keep your choosing for maximum air flow. Recommendations: You may use your Create A Breeze while driving or in windy conditions. In this case keep your choosing for maximum air flow. Recommendations: You may use your Create A Breeze while driving or in windy conditions. In this case keep your choosing for maximum air flow. Recommendations: You may use your Create A Breeze while driving or in windy conditions. In this case keep your choosing for maximum air flow. Recommendations: You may use your choosing for maximum air flow. Recommendations: You may use your choosing for maximum air flow. Recommendations are the flow of the flo
proper long term storage Note: procedures. FOUR WINDS INTERNATIONAL... The electrical system is engineered and tested for safety. Circuit breakers and fuses protect the electrical system, Four Winds International strongly recommends consulting a
certified electrician for assistance to ensure continued integrity and safety of the electrical systems. 15 minutes. In case of eye contact, seek immediate medical treatment. Never add acid to a battery once the battery has been placed in service. Doing so may result in hazardous splattering of electrolyte solution. FOUR WINDS INTERNATIONAL.
When the motor home engine is not running, the chassis and auxiliary batteries are kept separated from each other within the electrical system through the use of a battery when the motor home is parked. Some additional characteristics of the
isolator system include: 1. Delays connecting the auxiliary batteries to the charging system for approximately 15 seconds, to allow the alternator has come up to full charging ability, (13.2 Volts) the isolator will electrically connect the auxiliary and chassis batteries
together for charging. 3. If the charging voltage drops below 13.2 Volts for a period of 4 seconds due to low idle speed and or excessive load, the isolator will disconnect the auxiliary batteries until the voltage returns to a level of 13.2 volts for about 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for about 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for about 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for about 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns to a level of 13.2 volts for a bout 10 seconds. 4. In the event the auxiliary batteries until the voltage returns the auxiliary batteries until the voltage ret
the Start Switch located in the dash. FOUR WINDS INTERNATIONAL... Remove the battery went caps before charging, and make sure that the electrolyte does not splash out as a result of charging too quickly. Check literature supplied by battery manufacturer, and follow warnings or cautions outlined. FOUR WINDS INTERNATIONAL... Rotary Knob
Used to move between menus to select program options. Turn clockwise to increase selections and counterclockwise to decrease selections. Push the knob to "save" the selection displayed in the LCD screen. Inverter ON/OFF: Used to switch the inverter function ON and OFF. The green "INVERTER" LED turns ON and OFF with the switch. Charger
reset button should pop out. 4. All power should be interrupted to outlets protected by the GFCI. 5. Verify by plugging in a light at these outlets, and pushing in the reset button. If the power is not interrupted to the test light, immediately turn off
power at the circuit breaker panel and have a qualified electrician check it out. FOUR WINDS INTERNATIONAL... Consult the manuals provided with the generator before attempting maintenance on the generator. Some electrical appliances may have their own circuit breakers. If there is an Note: interruption in electrical service of an appliance,
Remove cover from the black box to access. 12 VOLT SYSTEM FUSES - DIESEL Inverter Bay Fuse Panel The exterior 12 volt systems fuse panel is located in the inverter compartment bay. The six slots might not all be used, depending on equipped options. Bed Base Fuse Panel FOUR WINDS INTERNATIONAL... "normal" and hold its own even when
the alternator shows a discharge while the motor is running, turn off appliances and lights to see if a charge comes on or if the alternator indicates "neutral". Then apply a drain on the system to see if a discharge returns. If a discharge returns. If a discharge returns and lights to see if a charge comes on or if the alternator indicates "neutral".
amp shoreline into the generator outlet provided in the shoreline storage compartment. To start the generator start switch, which is located at one of the following locations: • Generator Control Panel • Kitchen Base Cabinet one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following locations: • Generator control Panel one of the following lo
faucets are closed, there may be a leak in the system. Ask your dealer for assistance. Note: The low point drains are located in the water lines on the floor of the motor home except the Windsport and Diesel brand motor home. The low point drains for the
Windsport and Diesel models are the outside shower which is located in an exterior compartment, below the floor. FOUR WINDS INTERNATIONAL... Again, add water to the tank until it is full. Allow the system by opening all faucets, and the fresh water tank
drain valve, while flushing the system with potable water. 10. Continue flushing the system, allowing the water to flow for several minutes, and then turn off the water pump. Close the tank valve and faucets. Refill the system with potable water. FOUR WINDS INTERNATIONAL... Residue in the drain water lines can also produce odors. To combat
INTERNATIONAL... WATER SYSTEM WINTERIZATION If you intend to store your motor home through periods of subfreezing weather in an unheated environment, it will be necessary to winterize the water system. Damage to water system components will result if proper winterization steps are not taken: Note: Four Winds recommends this be done
by a qualified technician or dealer. Class A Water System Winterization 1. Level the unit for good system drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh water tanks (black then grey following drainage guidelines) and fresh guidelines guidelin
outside shower. Be sure to read the literature supplied with plumbing components, such as the pump, for troubleshooting tips. Also remember that it is possible for an electrical problem to cause water system problems. Lack of power to the pump can be caused by a variety of reasons. If you are unsure of how to locate and or repair a plumbing
problem, it is best to have your dealer or a qualified plumber handle out to dump Valve: Pull T-handle out to dump waste from the gray tank. Winterization Inlet: Antifreeze inlet for winterization. Winterization
connection. Always remember to close the supply valve, and open the 20% liquid level valve. FOUR WINDS INTERNATIONAL... Always use moisture has entered the tank, have the tank purged, or have hydrous methanol added by an authorized pi
gas supplier. If you believe a regulator has been damaged or otherwise is not functioning, have it replaced by a qualified propane gas service representative. FOUR WINDS INTERNATIONAL... Look for signs of deterioration such as cracks or loss of flexibility. When replacing the hose or other propane components, make sure to always replace them
with components of the same type and rating (check with your dealer). FOUR WINDS INTERNATIONAL... Make sure that you and your family understand and follow all of them. Never remove these warning labels and decal's. If one should be lost, it should be replaced as soon as possible. FOUR WINDS INTERNATIONAL... Cover breaks in the
fiberglass with plastic, sealing the edges with tape until proper repairs can be made. Note: DO NOT use rubbing compound or any abrasive cleaner or cloth on the motor home. If using a tar and insect remover, make sure it is safe for use on painted surfaces and striping decals. Note: The exterior painted finish on the motor home is of the finest
quality. Proper maintenance will assure a long lasting durable finish. Do not wax or polish the exterior for the first 60 days. FOUR WINDS INTERNATIONAL... All exterior seals should be checked and resealed as needed at least every six months. It is especially important to check the seals before and after periods of extended Note: storage or non-use.
Fall and spring inspections are recommended. Be aware that moisture can accumulate in locks and hinges of windows and doors, Note: causing damage or faulty operation. Do not force the operation of these components in sub-freezing weather. FOUR WINDS INTERNATIONAL... Clean and wax all extrusions when waxing motor home sidewalls, to
help avoid surface pitting. Special aluminum cleaners are available to restore the original luster to aluminum surfaces. Make sure to follow product
instructions for use. FOUR WINDS INTERNATIONAL... Check the operation of the termination valves that leak should be repaired or replaced as soon as possible. Sometimes, a buildup of paper or other material in the inside groove of the
termination valve can obstruct the valve and cause it to seat improperly. If you suspect that this is occurring, the valve groove may then be cleaned out with a screwdriver or similar tool. Replace the valve in the line and reinstall the
screws to secure it in place. FOUR WINDS INTERNATIONAL... Dealer. Head lamp Maintenance that you can perform on your lights, dirt and road grime build up can cut light output by 40% or more. When cleaning your head lamps, please observe the following: do not rub them dry, and never use abrasives
or strong solvents. Remove dirt and contamination, such as insects, by soaking with shampoo and then rinsing with shampoo and the rin
Rinse after each use and wipe dry. APPLIANCES Make sure to read all literature provided with each of the appliances, and follow the maintenance instructions included. Pay particular attention to any cautions or warnings included. Each appliance in the motor home is warranted by their respective manufacturer. FOUR WINDS INTERNATIONAL...
Often the damage caused by solvents, alcohol, citrus based and oil based products may not be immediately noticeable, but the plastic is made weaker, and prone to stress cracking. FOUR WINDS INTERNATIONAL... It is important to remember that heating with Propane consumes gas rapidly, so refill tank immediately when low, to avoid running out
completely. Heating NEVER USE THE RANGE FOR HEATING. ASPHYXIATION COULD RESULT. Use ONLY the furnace to heat the motor home. It is properly vented to the outside. FOUR WINDS INTERNATIONAL... MOLD Molds are microscopic organisms that naturally occur in virtually every environment, indoors and out. Outdoors, mold growth is
important in the decomposition of plants. Indoors, mold growth is unfavorable. Left unchecked, molds break down natural materials, such as wood products and fabric. Knowing the potential risks is important for an owner to protect their investment. FOUR WINDS INTERNATIONAL... Unless the water vapor is carried outside by ventilation, or
condensed by a dehumidifier, it will condense on the inside of the windows and walls as moisture, or in cold weather as frost or ice. It may also condense out of sight within the walls or the ceiling where it will manifest itself as warped or stained panels. Appearance of these conditions away indicate a serious condensation problem. When you
recognize the signs of excessive moisture and condensation in the motor home, action should be taken to minimize their effects. Note: Your motor home is not designed, nor intended, for permanent housing. Use of this product for long term or permanent housing. Use of this product for long term or permanent housing.
normal, and may under the terms of the warranty constitute misuse, abuse or neglect, and void certain warranty protections. FOUR WINDS INTERNATIONAL... The shell should be inspected periodically for tears, gaps, and condition of sealants. Areas that require maintenance should be resealed utilizing a proven, high quality sealant of similar
characteristics as the original sealant. Particular attention should be devoted to ensure the slide out is operated. FOUR WINDS
INTERNATIONAL... Be sure to understand and eliminate the source of moisture accumulation as a part of the cleaned using a detergent/soapy solution or an appropriate household cleaner. Gloves should be worn during cleaning. The cleaned
area should then be thoroughly dried. Dispose of any sponges or rags used to clean mold. FOUR WINDS INTERNATIONAL... Lubricate all Mechanisms & Belt Webbing Follow Chassis Lubrication & Maintenance Procedures & Chassis Components Schedules
Properly Load and Verify Specified Load Limits & Weight Weight & Distribution Distribution FOUR WINDS INTERNATIONAL... Page 102 CEILING VENTS.
                                                                                                                                                                                                                        ...61 Attic Fan - Create A Breeze ....
                                                                                                                                                                                                                                                                                  ...62 Attic Fan - Fantastic Vent ......
                                                                                                                                                                                                                                                                                                                                           ...62 Exhaust Vent .....
                                                                                                                                           ..23 CIRCUIT BREAKERS .
                                                                                                                                                                                              ..69 CLASS A AND CLASS C - GAS SYSTEM PANELS ..
CHEMICAL SENSITIVITY.
                                                                                                                                                                                                                                                                            ...70 110 V For Units With 30 Amp Service And No Electric Water Heater ........
                                                                                                                                                                                                                                                                                                                                                                               ...70 110V For Units With 50 Amp Service ......
                                                   23 Formaldehyde
                                                                                                 ...23 Ventilation
                                                                                                                                                                                                                    ..30 Fog Lights .
BCC Fuse Panel
                                          ..71 Converter Fuse Panel
                                                                                              .70... Page 103 DASH CONTROLS - GAS .
                                                                                                                                                                    . 30 Emergency Start ...
                                                                                                                                                                                                                                                              ...30 Generator Remote Start ....
                                                                                                                                                                                                                                                                                                                    ..30 Mirror Control Button.
                                                                                                                                                                                                                                                                                                                                                                         ..30 Mirror Heat
                                                                                                                                                                                                                                                                                                                                                                                                                   ..30 Windshield Fans
                      ..31 DASH CONTROLS AND INSTRUMENT PANELS - DIESEL ...
                                                                                                                                                                                                                                                           .32 Transmission Control Push Button Shift Selector .......
                                                                                                            ...31 Freightliner Only Information Message Center .........
                                                                                                                                                                                          ..32 Keypad Push Button Shift Selector .
                                                                                                                                                                                                                                                                                                                                         ...31 DASH FUSES ....
                                                                                                                                                                                                                                                                                                                                                                                  ..... 72 DASH PANEL HEATER AND AIR CONDITIONER
                                                                                                         .59 Warranty/Service .....
                                                                                                                                                                                                                                                                                                                          .. 18 FOUR WINDS LIMITED WARRANTY
            .59 Control Panel.
                                                       ...59 Operating Features ...
                                                                                                                                                                                                                          ..88 FIRE EXTINGUISHER.
                                                                                                                                                         ..60... Page 104 FIBERGLASS SIDING ..
                                                                                                                                                                                                                                                                             ...19 FIRE SAFETY ....
                                                                                                                                                                                                                                                                                                                                                                                             ..4 FRAME.
                                                                                         ..74 Fresh Water Tank With Gravity Fill
                                                                                                                                                                                                                             ....75 Sanitizing the Fresh Water System . Page 105 MANUFACTURERS WARRANTIES
                                         . 74 External Hook-up.
                                                                                                                                                          ...74 Fresh Water Tank Without Gravity Fill .
                                                                                                                                                                                                                                                                                                                                                        ...12 MOLD ..
                                                                                                                                                                                                                                                                                                                                                                                              ..96 Avoid Drastic Thermostat Setbacks
                  .98 Carpet Care And Moisture Management
                                                                                        ..98 Effects of Prolonged Occupancy
                                                                                                                                                     ...97 Exterior Care of the Motor Home ......
                                                                                                                                                                                                                     ..98 Factors Contributing to Mold Growth .
                                                                                                                                                                                                                                                                                     .....97 Inhibiting Mold Growth .
                                                                                                                                                                                                                                                                                                                                                . 97 Storage of the Motor Home
                                                                                                                                                                                                                                                                                                                                                                                                          ..99 Tips to Controlling Condensation
                                                                 .77 Inaccurate Holding Tank Level Readings
                                                                                                                                        ..77 Over Sensitive Readings
                                                                                                                                                                                             ..77 Under Sensitive Readings . Page 106 SAFETY REGULATIONS FOR PROPANE GAS SYSTEMS AND APPLIANCES ......17 SEALS AND ADHESIVES
                 .98 MONITOR PANEL
                                                                                                                                                                                                                                                                                                                                                                                                             89 SEAT BELTS
                                                                                                                                                                  .24 SHIFTER PANEL SWITCHES ...
                       23 Child Restraints.
                                                                     ..24 Maintenance ..
                                                                                                             .....24 Seat Belt Operation ...
                                                                                                                                                                                                                             .33 Air Horn ...
                                                                                                                                                                                                                                                                   ..33 Ceiling Light.
                                                                                                                                                                                                                                                                                                              ...36 Door Awning ...
                                                                                                                                                                                                                                                                                                                                                         ..36 Engine Brake .
                                                                                                                                                                                                                                                                                                                                                                                                     .33 Main Awning
Mirror Control Button . Page 107 THERMOSTATS ...
                                                                                  ...61 TOILETS
                                                                                                                         ..80 Aria Deluxe II .
                                                                                                                                                                     ..80 TECMA Toilet ..
                                                                                                                                                                                                                 ..81 TRAILER TOWING
                                                                                                                                                                                                                                                                  .25 TRAVEL PREPARATION
                                                                                                                                                                                                                                                                                                                       ..28 Chassis Checks .
                                                                                                                                                                                                                                                                                                                                                                      ..28 Exterior Checks .
                                                                                                                          ..... 28 TURN SIGNAL/LANE CHANGE/HIGH-LOW BEAM/HAZARDS LEVER ......
                    ..28 Pre-Trip Checklist
                                                                    ..29 Undercarriage Checks .
```

